

Applic. No. 09/694,569

Amdt. dated October 29, 2003

Reply to Office action of July 29, 2003

Claim Amendments

Claim 1 (currently-amended): A method of aligning a rubber blanket configuration ~~formed with substantially u shaped register cut-outs,~~ relative to a clamping device having register pins, for clamping the rubber blanket configuration onto a cylinder, which comprises:

providing the rubber blanket configuration with a clamping bar having substantially u-shaped register cut-outs formed therein; and

bringing the substantially u-shaped register cut-outs formed in the ~~rubber blanket configuration~~ clamping bar into contact with the register pins of the clamping device when the clamping device has been applied to the cylinder.

Claim 2 (currently-amended): A rubber blanket configuration, comprising:

a rubber blanket ~~formed of a blanket material, and said rubber blanket having~~ a blanket material and a clamping bar with substantially u-shaped register cut-outs formed therein;

Applic. No. 09/694,569

Amdt. dated October 29, 2003

Reply to Office action of July 29, 2003

said blanket material having an upperside layer and an
underside layer; and

said clamping bar being disposed only on said underside layer.

C
(Continued)
Claim 3 (currently-amended): The rubber blanket configuration according to claim 2, wherein said clamping bar is disposed only on an underside of ~~the blanket material~~ of said underside layer.

Claim 4 (previously-presented): The rubber blanket configuration according to claim 2, wherein said clamping bar projects beyond an edge of the blanket material.

Claim 5 (previously-presented): The rubber blanket configuration according to claim 4, wherein said edge is a leading edge of the blanket material.

Claim 6 (previously-presented): The rubber blanket configuration according to claim 2, wherein the register cut-outs are formed only in said clamping bar.

Claim 7 (previously-presented): The rubber blanket configuration according to claim 2, including a sealing

Applic. No. 09/694,569

Amdt. dated October 29, 2003

Reply to Office action of July 29, 2003

substance provided in at least one corner angle between the blanket material and said clamping bar.

Claim 8 (currently-amended): An assembly, comprising:

a rubber blanket configuration ~~formed of~~ having a blanket material;

said rubber blanket configuration having a clamping bar with substantially u-shaped register cut-outs formed therein; and

a clamping device fastening said rubber blanket configuration to a cylinder, said clamping device ~~only~~ gripping only said clamping bar.

Claim 9 (currently-amended): A register system, comprising:

a flexographic printing plate with substantially u-shaped register cutouts formed therein; and

a rubber blanket configuration having structures defining further substantially u-shaped register cutouts, disposed in the rubber blanket configuration and corresponding to said substantially u-shaped register cutouts of said printing plate.

Applic. No. 09/694,569

Amdt. dated October 29, 2003

Reply to Office action of July 29, 2003

Claim 10 (currently-amended): A printing machine, comprising:

a rubber blanket configuration ~~being formed of a blanket material, said rubber blanket configuration~~ including a blanket material and a clamping bar having substantially u-shaped register cut-outs formed therein;

said blanket material having an upperside layer and an underside layer; and

said clamping bar being disposed only on said underside layer.

Claim 11 (currently-amended): A varnishing machine, comprising:

a rubber blanket configuration ~~being formed of a blanket material, said rubber blanket configuration~~ including a blanket material and a clamping bar having substantially u-shaped register cut-outs formed therein;

said blanket material having an upperside layer and an underside layer; and

said clamping bar being disposed only on said underside layer.